


THE REPRODUCTION, DISTRIBUTION AND UTILIZATION OF THIS DOCUMENT AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHER WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHT RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL OR DESIGN. (PER ISO 18018)

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
C	REACTIVATED AS PER REV "A" TO SHOW AEROQUIP DESIGN	2006-05-12 RHJ/KBM	EN-F30034 DP-1299



METRIC

3. DIMENSIONS ARE IN MILLIMETERS [INCHES].
2. THERE SHOULD BE NO SOCKET MOVEMENT ON THE NIPPLE AFTER CRIMPING.
1. CRIMP SOCKET PER ACES 2409P17.

FJ3152-2424S	FW1186-24S	FW1260-2424S			
PART NUMBER	① SOCKET	② NIPPLE			
LIST OF MATERIALS					
ITEM NO.	MATERIAL	DRAWN T. HARTFORD	FLUID CONVEYANCE DIVISION		
1	STEEL	CHECKED D. BAILEY	DRAWING TITLE Danfoss FITTING ASSEMBLY MALE PIPE, 1503 HOSE		
2	STEEL	APPROVED R.D.GARRETT			
		RELEASE DATE 2000-05-25	SIZE A2	DRAWING NUMBER FJ3152-2424S	REV C
		EN-F19971 DP-1290	SCALE 2/1	DIST U	CAGE CODE 01276
		THIRD ANGLE PROJECTION			SHEET
		ITEM TYPE:EDPA			